

# Jurkat Cell Analyses Using the Beckman Coulter<sup>®</sup> Vi-CELL<sup>TM</sup>

VI-CELL XR<sup>™</sup>

Part of the Cell Lab family

## **Iurkat** Cells

-CELL XR

Jurkat cells are human leukemic T lymphocytes. These cells are particularly responsive to the induction of cell death via apoptosis, rather than the necrosis pathway; also, they are easily maintained in cell culture. The cells are employed in research for further understanding of the apoptosis, programmed cell death, process.

### Equipment Used

Beckman Coulter, Vi-CELL XR Validated Vi-CELL XR reagent pack

REAL TIME CELL IMAGES

REAGENT LEVEL MONITOR

PERCENT VIABILITY CELL CONCENTRATION

SIZE DISTRIBUTION

(UP TO 100 IMAGES MAY BE VIEWED)

## Instrument Settings

When using the Vi-CELL most cells can be analyzed using the default instrument settings. In some instances, certain cell lines may require modification of these analyses parameters. The Vi-CELL intuitive software allows easy user selection of optimum instrument settings thus ensuring accurate results. The instrument settings for the analyses of Jurkat cells are listed below:

Min. Size (µm) = 6 Max. Size (µm) = 50 Number of Images = 50 Aspirate Cycle = I Mixing Cycle = 3


Cell Brightness = 85 Cell Sharpness = 100 Viable Cell Spot Brightness = 75 Viable Cell Spot Area = 5 Min. Circularity = 0 Decluster Degree = Low

### Results

The results reported by the Vi-CELL are shown in the Results Section of Figure 1. Percentage viability and total Jurkat cell concentration are 95.6% and 1.05 x 106 cells/ml. The Vi-CELL also reports viable cell concentration, mean cell diameter, size distribution, and average cellular circularity. The cell images may be archived for future re-analyses.

### Conclusion

The Beckman Coulter Vi-CELL automates the standard manual method, providing accurate results and removing the subjective nature inherent in the manual method. The significantly greater number of cells tested provides greater statistical confidence in the results than the manual technique.



### Figure 1. Viable cells are circled in green and non-viable in red.

### **THE VI-CELL**

The Vi-CELL automates the widely accepted Trypan Blue Dye Exclusion method. The Vi-CELL combines the state of the art in imaging technology, proprietary algorithm and fluidics management. At the heart of the Vi-CELL is the customized liquid handling system. This system, which allows sample aspiration, reagent handling and subsequent instrument cleaning, is fully automated. Once the cellular suspension has been aspirated and mixed with the trypan blue dye, it is pumped to the flow cell for imaging. The Vi-CELL can analyze up to 100 images for a given analysis increasing total volume from 15 to 30 times over the manual method with result in a less that 2.5 minutes.

# MANUAL TRYPAN BLUE DYE EXCLUSION METHOD

As mentioned, the standard method for measuring cell viability is the Trypan Blue Dye Exclusion method. Trypan blue stain (0.4%) is mixed with an equal volume of cells. Viable cells, given their intact membranes, exclude the trypan blue stain; non-viable cells, membrane permeable, stain dark blue. The manual method, however, requires a technician, using a hemacytometer and microscope, to enumerate both stained and unstained cells and manually calculate the percent viability. In addition to being labor intensive , this technique has substantial accuracy error due to it's subjective nature.



## **VI-CELL TECHNICAL SPECIFICATIONS**

**INSTRUMENT FUNCTION:** Concentration Range: 5 x 10<sup>4</sup> to 1 x 10<sup>7</sup> cells / mL \*Counting Accuracy: <u>+</u> 6%

OPERATING SYSTEM: Windows<sup>®</sup> 98

Windows<sup>®</sup> 2000 Windows<sup>®</sup> XP

INSTRUMENT TYPE: Video imaging through a quartz flow cell POWER REQUIREMENTS: Power 50 watts (65 Watts Max.) Voltages 100V, 120V, 220V or 240V 50/60 Hz

**TEMPERATURE:** 10° to 40° C (50° to 104° F)

WEIGHT: II.3kg (25lb)

UNIT DIMENSIONS: 44.5cm (17.5") height 38cm (15") width 41cm (16") depth

### **VI-CELL SERIES**

	PN	AUTO SAMPLE	SIZE RANGE (µm)	SAMPLE VOLUME (mL)	ANALYSIS TIME (Min)	VIABILITY RANGE	IMAGING TECHNOLOGY
VI-CELL XR	383556	Yes	2-70	0.5	<2.5	0-100	Auto-focus routine Firewire Camera 1394 X 1040 CCD array
VI-CELL AS	6605769	Yes	5-70	1.0	<3.5	0-100	Manual focus routine Image frame grabber 640 X 480 CCD array
VI-CELL S	383080	No	5-70	1.0	<3.5	0-100	Manual focus routine Image frame grabber 640 X 480 CCD array
VI-CELL XR QUAD PACK	383722						
VI-CELL AS, S QUAD PACK	383198						
VI-CELL CONCENTRATION CONTROL	175478						
VI-CELL FOCUS CONTROL	175474						



Developing innovative solutions in Systems Biology.



Beckman Coulter, Inc. • 4300 N. Harbor Boulevard, Box 3100 • Fullerton, California 92834-3100 Sales & Service: 1-800-742-2345 • Telex: 678413 • Fax: 1-800-643-4366 • www.beckmancoulter.com

### Worldwide Biomedical Research Division Offices:

Australia(61)29844-6000Canada(905)819-1234CaribbeanandSouthAmerica1-305-380-4709China(86)1065156028Eastern Europe, Middle East, North Africa(41)229940707France0149909000Germany4921513335HongKong(852)28147431/28140481Italy02-953921Japan03-5404-8359MexicoandCentralAmerica(52)55-56057770Netherlands0297-230630Singapore(65)63393633SouthAfrica,Sub-SaharanAfrica(27)11-805-2014/5Spain913836080Sweden08-56485900Switzerland0800850810Taiwan (886)223783456Turkey902163091900U.K.01494441181U.S.A.1-800-742-2345